


5' 18" E
TRUE NORTH
MAGNETIC DECLINATION
-06' ANNUALLY 2002
400 0 400 800
SCALE: 1"=400'
OVERALL SITE PLAN

BUILDING DESIGN DATA:	
<p>PROJECT LOCATION 5190 SOUTH COLLINS ARLINGTON, TEXAS 76010 ARLINGTON MUNICIPAL AIRPORT</p> <p>OCCUPANCY CLASSIFICATION A. RENOVATION - GROUP U B. RENOVATION AREA SQUARE FOOTAGE = 1,485 C. TOTAL AREA SQUARE FOOTAGE = 21,000</p> <p>CONSTRUCTION TYPE A. TYPE II B. FULLY AUTOMATIC FIRE SPRINKLER SYSTEM IS NOT PROVIDED FIRE ALARM SYSTEM IS NOT PROVIDED</p> <p>PARKING REQUIREMENTS A. NO NEW PARKING IS ADDED</p>	<p>CURRENT ADOPTED CODES: 2003 EDITION OF THE INTERNATIONAL BUILDING CODE 2003 EDITION OF THE INTERNATIONAL ENERGY CONSERVATION CODE 2003 EDITION OF THE INTERNATIONAL FIRE CODE 2003 EDITION OF THE INTERNATIONAL PLUMBING CODE 2003 EDITION OF THE INTERNATIONAL MECHANICAL CODE 2002 EDITION OF THE NATIONAL ELECTRICAL CODE ICC/ANSI A117.1/1998 ALL WITH LOCAL AMENDMENTS</p>



INDEX OF DRAWINGS

AG1.10	GENERAL INFORMATION.
A1.10	PARTIAL DEMOLITION PLAN PARTIAL ENLARGED FLOOR PLAN.
A2.10	WALL SECTIONS AND DETAILS.


DEPARTMENT OF PUBLIC WORKS
AND TRANSPORTATION
CONSTRUCTION MANAGEMENT DIV.
ARLINGTON, TEXAS



FIRE SEPARATION WALL
AT T-HANGAR 50
ARLINGTON MUNICIPAL AIRPORT
5190 S. COLLINS

REVISIONS:

FILE:	AG110-AV10901
PROJ:	AV1-0901
DATE:	09-31-2009
DWG BY:	JKU
CHK BY:	ARB



OVERALL SITE PLAN
AND GENERAL
INFORMATION
SHEET 1 OF 3

AG1.10